

## Cambridge IGCSE<sup>™</sup>

## CHEMISTRY

Paper 2 Multiple Choice (Extended)

October/November 2023 45 minutes

0620/21

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

## INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has **16** pages.

**1** A gas is placed in a sealed container. The gas has a pressure of one atmosphere and a temperature of 50 °C.


It is heated to 100 °C.

Which row describes the cause of the pressure of the gas and the effect of increasing the temperature of the gas?

	cause of gas pressure	the effect of increased temperature of the gas	
Α	collisions between gas particles	collisions become less frequent	
В	collisions between gas particles	the average speed of the gas particles increases	
С	collisions between gas particles and the container	collisions become less frequent	
D	collisions between gas particles and the container	the average speed of the gas particles increases	

The dividing glass plates are removed at the same time.

In which set of apparatus does the litmus turn red first?



3 The Group I element potassium forms an ionic bond with the Group VII element fluorine. Which two ions are produced?

Α	$K^{+}$ and $F^{+}$	В	$K^{+}$ and $F^{-}$	С	$K^-$ and $F^-$	D	$K^{-}$ and $F^{+}$
---	---------------------	---	---------------------	---	-----------------	---	---------------------

- **4** X and Y are atoms.
  - X and Y have the same number of electron shells.
  - X and Y have the same number of outer electrons.
  - X and Y have different mass numbers.

Which statements about X and Y are correct?

- 1 X and Y are isotopes.
- 2 X and Y have the same total number of electrons.
- 3 X and Y have the same chemical properties.

**A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

5 Lithium chloride is an ionic compound and silicon(IV) oxide is a covalent compound.

Which statement about both compounds is correct?

- **A** They are not soluble in water.
- **B** They conduct electricity when melted.
- **C** They do not conduct electricity in solid form.
- **D** They have low melting points.
- 6 Which equations are balanced?
  - 1 Fe<sub>2</sub>O<sub>3</sub> + 3CO  $\rightarrow$  2Fe + 3CO<sub>2</sub>
  - 2  $ZnCO_3$  +  $2HCl \rightarrow ZnCl_2$  +  $CO_2$  +  $2H_2O$
  - 3  $Mg(NO_3)_2$  + NaOH  $\rightarrow$  Mg(OH)<sub>2</sub> + 2NaNO<sub>3</sub>
  - $4 \quad \text{CaCO}_3 \ \text{+} \ \text{H}_2\text{SO}_4 \ \rightarrow \ \text{CaSO}_4 \ \text{+} \ \text{H}_2\text{O} \ \text{+} \ \text{CO}_2$
  - **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4
- 7 Which row shows the formulae of sodium carbonate, zinc nitrate and ammonium sulfate?

	sodium carbonate	zinc nitrate	ammonium sulfate
Α	Na <sub>2</sub> CO <sub>3</sub>	ZnNO₃	(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub>
В	Na <sub>2</sub> CO <sub>3</sub>	Zn(NO <sub>3</sub> ) <sub>2</sub>	(NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub>
С	NaCO <sub>3</sub>	ZnNO <sub>3</sub>	(NH <sub>3</sub> ) <sub>2</sub> SO <sub>4</sub>
D	NaCO <sub>3</sub>	Zn(NO <sub>3</sub> ) <sub>2</sub>	(NH <sub>3</sub> ) <sub>2</sub> SO <sub>4</sub>

	hydrogen and oxygen can react to produce electrical energy	hydrogen and oxygen can be made by the electrolysis of dilute aqueous sodium chloride
Α	X	X
в	X	$\checkmark$
С	$\checkmark$	X
D	$\checkmark$	$\checkmark$

8 Which statements about hydrogen and oxygen are correct?

**9** Graphite has a giant covalent structure.

Which statements about graphite are correct?


1 Carbon atoms form four covalent bonds with neighbouring atoms.

5

- 2 There are delocalised electrons between layers of carbon atoms.
- 3 Graphite is a useful lubricant.
- 4 Graphite is a good conductor of electricity.

Α	1 and 2	В	1, 3 and 4	С	2, 3 and 4	D	3 and 4 only
---	---------	---	------------	---	------------	---	--------------

**10** Which reaction pathway diagram represents an endothermic reaction?



**11** Hydrogen burns in oxygen.

The equation for the reaction is shown.

$$2H_2 + O_2 \rightarrow 2H_2O$$

The table shows the bond energies involved.

bond	bond energy in kJ/mol
H–H	436
O=0	498
O–H	464


What is the energy given out during the reaction?

- A -3226 kJ/mol
- **B** –884 kJ/mol
- **C** \_486 kJ/mol
- **D** -442 kJ/mol
- 12 Which process involves a chemical change?
  - A adding sodium to water
  - B boiling water
  - **C** dissolving sodium chloride in water
  - **D** producing water from aqueous sodium chloride

**13** An experiment is carried out to find the rate of reaction between hydrochloric acid and zinc.

$$Zn(s) + 2HCl(aq) \rightarrow ZnCl_2(aq) + H_2(g)$$

The results of the experiment are shown.



What is the label on the *y*-axis?

- **A** amount of  $ZnCl_2$  produced
- **B** concentration of HCl
- **C** mass of Zn reacted
- **D** volume of  $H_2$  produced
- **14** Hydrogen peroxide,  $H_2O_2$ , decomposes to form water and oxygen.

$$2H_2O_2(aq) \rightarrow 2H_2O(I) + O_2(g)$$

Manganese(IV) oxide catalyses the decomposition reaction.

The reaction is investigated in four experiments.

experiment	volume and concentration of hydrogen peroxide	conditions
1	$12.5 \mathrm{cm^3}$ of $1.0 \mathrm{mol}/\mathrm{dm^3}$	$25^\circ\text{C}$ with manganese(IV) oxide powder added
2	$12.5 \mathrm{cm}^3$ of 2.0 mol/dm <sup>3</sup>	40 $^{\circ}\text{C}$ with manganese(IV) oxide powder added
3	$25 \mathrm{cm}^3$ of 1.0 mol/dm <sup>3</sup>	40 $^{\circ}\text{C}$ without manganese(IV) oxide powder
4	$25 \mathrm{cm}^3$ of 1.0 mol/dm <sup>3</sup>	40 $^{\circ}\text{C}$ with manganese(IV) oxide powder added

All reactions go to completion and all measurements of gas volumes are at room temperature and pressure.

Which statement is correct?

- A Experiment 1 produces less gas than experiment 4, but at the same rate.
- **B** Experiment 2 produces more gas than experiment 1, but at the same rate.
- **C** Experiment 2 and experiment 4 each produce the same volume of gas, but at different rates.
- **D** Experiment 3 and experiment 4 each produce the same volume of gas and at the same rate.

**15** Sulfuric acid is produced by the Contact process.

Which row shows the typical conditions used in the process?

	catalyst	pressure /kPa	temperature /°C
Α	iron	200	300
в	iron	20 000	450
С	vanadium( $V$ ) oxide	200	450
D	vanadium(V) oxide	20000	300

- 16 Which equation shows the reduction of copper?
  - $\textbf{A} \quad CuO + C \rightarrow Cu + CO$
  - **B**  $2CuS + 3O_2 \rightarrow 2CuO + 2SO_2$
  - **C**  $Cu(g) \rightarrow Cu(I)$
  - **D**  $Cu(I) \rightarrow Cu(s)$
- **17** Which statement about acids is correct?
  - **A** A weak acid partially dissociates in aqueous solution.
  - **B** An acid accepts protons when added to water.
  - **C** Ethanoic acid acts as a strong acid when added to water.
  - **D** Hydrochloric acid is a strong acid that ionises in water to form  $H^-$  ions.
- **18** Copper(II) sulfate is formed by reacting excess solid copper(II) carbonate with dilute sulfuric acid.

Which processes are part of the preparation of solid copper(II) sulfate?

- 1 crystallisation
- 2 distillation
- 3 filtration
- 4 titration

**A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

**19** Which type of reaction is represented by the equation shown?

 $Pb^{2+}(aq) + 2NO_{3}^{-}(aq) + 2Na^{+}(aq) + 2I^{-}(aq) \rightarrow PbI_{2}(s) + 2Na^{+}(aq) + 2NO_{3}^{-}(aq)$ 

- A addition
- B redox
- **C** neutralisation
- **D** precipitation
- **20** Which compound is likely to be coloured?

**A**  $KMnO_4$  **B**  $KNO_3$  **C**  $K_2CO_3$  **D**  $K_2SO_4$ 

- 21 Which statements about the metal zinc are correct?
  - 1 It is extracted from the ore bauxite.
  - 2 It is used to galvanise steel.
  - 3 It is used to make the alloy brass.
  - 4 It reacts with dilute hydrochloric acid to produce hydrogen gas.

**A** 1, 2 and 4 **B** 1, 3 and 4 **C** 2, 3 and 4 **D** 2 and 3 only

22 The electronic configurations of four elements, P, Q, R and S, are shown.

elemei	nt electronic configuration
Р	2
Q	2,2
R	2,6
S	2,8

Which elements are unreactive monatomic gases?

Α	P and Q	В	P and S	С	Q and R	D	S only
---	---------	---	---------	---	---------	---	--------

**23** Which row compares the strength of alloys with pure metals and explains the difference in strength?

	strength of an alloy compared to a pure metal	explanation
Α	weaker	larger atoms slide more easily over smaller atoms
В	weaker	larger atoms make it harder for layers to slide over one another
С	stronger	larger atoms slide more easily over smaller atoms
D	stronger	larger atoms make it harder for layers to slide over one another

24 Zinc oxide reacts with carbon to produce zinc.


Which equation represents this reaction?

- **A**  $2ZnO + C \rightarrow 2Zn + CO$
- **B**  $2ZnO + 2C \rightarrow 2Zn + 2CO_2$
- $\mathbf{C} \quad ZnO + C \rightarrow Zn + CO$
- $\textbf{D} \quad ZnO \ + \ 2C \ \rightarrow \ Zn \ + \ 2CO_2$
- 25 When a piece of aluminium foil is added to dilute hydrochloric acid, no effervescence is seen.

Which statement explains why no effervescence is seen?

- **A** Aluminium does not make a gas when it reacts with an acid.
- **B** Aluminium has a surface layer of aluminium oxide.
- **C** Aluminium is less reactive than hydrogen.
- **D** Aluminium only reacts with concentrated acid.

**26** Iron nails are stored in an airtight container.



The nails begin to rust after a few days.

How can the rusting of the nails be prevented?

- A Leave the lid off.
- **B** Replace the air with argon.
- **C** Put the container in a warm place.
- **D** Seal the container in a bag.
- 27 Four substances present in the blast furnace during iron extraction are listed.
  - 1 calcium carbonate
  - 2 carbon dioxide
  - 3 carbon monoxide
  - 4 iron(III) oxide

Which substances are both a reactant and a product during the reactions occurring in the blast furnace?

**A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4

28 Aluminium is extracted from purified bauxite by electrolysis.

Which row shows the ionic half-equations for the reaction at each electrode?


	anode	cathode
Α	$Al \rightarrow Al^{3+} + 3e^{-}$	$2O^{2-}$ + $4e^- \rightarrow O_2$
в	$Al^{3+}$ + $3e^- \rightarrow Al$	$20^{2\text{-}} \rightarrow 0_2 \text{ + } 4e^{\text{-}}$
С	$2\text{O}^{2\text{-}} + 4\text{e}^{\text{-}} \rightarrow \text{O}_2$	$Al \rightarrow Al^{3+} + 3e^-$
D	$20^{2-} \rightarrow 0_2 + 4e^-$	$Al^{3+}$ + $3e^- \rightarrow Al$


- 29 Which test is used to show that a sample of water is pure?
  - **A** Evaporate the water to see if any solids remain.
  - **B** Heat the water to check its boiling point.
  - **C** Test with anhydrous cobalt(II) chloride.
  - **D** Use universal indicator paper to check its pH.

**30** Catalytic converters in car exhausts change polluting gases into non-polluting gases.

Which statements about oxides of nitrogen and car engines are correct?

- 1 The nitrogen in oxides of nitrogen comes from compounds in gasoline.
- 2 The oxygen in oxides of nitrogen comes from the air in the car engine.
- 3 Catalytic converters convert oxides of nitrogen into nitrogen.
- **A** 1 and 2 **B** 2 and 3 **C** 2 only **D** 3 only
- **31** The structures of two molecules, X and Y, are shown.






Y

Which row describes X and Y?

	structural isomers	belong to same homologous series
Α	no	no
в	no	yes
С	yes	no
D	yes	yes

32 What is the structure of butanoic acid?




- 33 When a mixture of methane and chlorine is exposed to ultraviolet light, a reaction takes place.Which statements about this reaction are correct?
  - 1 It is an addition reaction.
  - 2 The ultraviolet light provides the activation energy.
  - 3 An equation for the reaction is  $CH_4 + Cl_2 \rightarrow CH_2Cl_2 + H_2$ .
  - 4  $CH_3Cl$  is made in the reaction.
  - **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4
- **34** Esters are formed when a carboxylic acid reacts with an alcohol.


What is the catalyst for this reaction?

- **A** aqueous potassium manganate(VII)
- B iron
- C sulfuric acid
- **D** vanadium(V) oxide

**35** The diagram shows part of a polymer.



Which diagram shows the monomer from which this polymer is made?



36 Nylon and PET are polymers.

Which statements about these polymers are correct?

- 1 They are both condensation polymers.
- 2 HOCH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>OH could be a monomer for both polymers.
- 3 The complete combustion of both polymers gives two products only.

**A** 1 and 2 **B** 1 and 3 **C** 1 only **D** 2 and 3

37 Ethane is used as a fuel.

Which equation shows the complete combustion of ethane?

- $\textbf{A} \quad 2C_2H_6 \ \textbf{+} \ 7O_2 \ \rightarrow \ 4CO_2 \ \textbf{+} \ 6H_2O$
- $\textbf{B} \quad 2C_2H_6 \ \textbf{+} \ 5O_2 \ \rightarrow \ 4CO \ \textbf{+} \ 6H_2O$
- $\textbf{C} \quad C_2H_4 \ \textbf{+} \ 3O_2 \ \rightarrow \ 2CO_2 \ \textbf{+} \ 2H_2O_2$
- $\textbf{D} \quad C_2H_4 \ \textbf{+} \ 2O_2 \ \rightarrow \ 2CO \ \textbf{+} \ 2H_2O$


Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

**38** The painkiller paracetamol is synthesised from 4-aminophenol.

Chromatography is done on an impure sample of paracetamol. The results are shown. The diagram is not drawn to scale.



The sample of paracetamol is contaminated with 4-aminophenol only.

What is the  $R_{\rm f}$  value of 4-aminophenol?

**A** 0.49 **B** 0.65 **C** 0.74 **D** 1.35

**39** The equation for the reaction of aqueous calcium nitrate and aqueous sodium hydroxide is shown.

 $Ca(NO_3)_2(aq) + 2NaOH(aq) \rightarrow Ca(OH)_2(s) + 2NaNO_3(aq)$ 

Which process is used to remove calcium hydroxide from the mixture?

- **A** chromatography
- B crystallisation
- C distillation
- **D** filtration
- **40** The results of two tests on aqueous compound X are given.

test	result
warm with aluminium foil and aqueous sodium hydroxide	ammonia is produced
aqueous sodium hydroxide	brown precipitate

What is X?

- **A** iron(III) nitrate
- **B** iron(II) nitrate
- **C** iron(III) sulfate
- **D** iron(II) sulfate

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

uranium 238

91 Pa protactinium 231

90 Th <sup>thorium</sup> 232

I

© UCLES 2023

The Periodic Table of Elements

								Gro	Group								
_	=								,			⊨	≥	>	>	II>	<pre>NII</pre>
							- T										He <sup>2</sup>
				Key			hydrogen 1										helium 4
3	4			atomic number								5	9	7	8	6	10
:	Be		ato	atomic symbol	lod							ш	ပ	z	0	ш	Ne
lithium 7	beryllium 9		rele	name relative atomic mass	ss							boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	neon 20
11	12										-	13	14	15	16	17	18
	Mg											Ρl	Si	۵.	ა	Cl	Ar
sodium n 23	magnesium 24											aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
6	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
×	Ca	Sc	F	>	ŗ	Мn	Ъe	ပိ	ïŻ	Cu	Zn	Ga	Ge	As	Se	Br	Кr
potassium 39	calcium 40	scandium 45	titanium 48	vanadium 51	chromium 52	manganese 55	iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
7	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	ي ا	≻	Zr	qN	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	Ι	Xe
rubidium 85	strontium 88	yttrium 89	zirconium 91	niobium 93	molybdenum 96	technetium -	ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
55	56	57-71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	lanthanoids	Ħ	Та	8	Re	SO	Ir	ŗ	Au	Hg	11	РЬ	B	Ро	At	Rn
caesium 133	barium 137		hafnium 178	tantalum 181	tungsten 184	rhenium 186	osmium 190	iridium 192	platinum 195	gold 197	mercury 201	thallium 204	lead 207	bismuth 209	polonium I	astatine -	radon -
87	88	89-103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118
Ľ	Ra	actinoids	Ŗ	Db	Sg	Bh	Hs	Mt	Ds	Rg	С	ЧN	Fl	Mc	۲	Т <mark>s</mark>	Og
francium -	radium -		rutherfordium -	dubnium –	seaborgium -	bohrium –	hassium -	meitnerium -	darmstadtium -	roentgenium -	copemicium -	nihonium –	flerovium –	moscovium -	livermorium –	tennessine -	oganesson -
		57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	
anthanoids		La	Ce	Pr	Νd	Pm	Sm	Еu	Gd	Tb	Dy	Ч	ц	Tm	Υb	Lu	
		lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium –	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175	
		89	06	91	92	93	94	95	96	97	98	66	100	101	102	103	
actinoids		Ac	Th	Ра	⊃	Np	Pu	Am	Cm	ВĶ	Ç	Es	Еm	РМ	No	Ļ	
		actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium	

0620/21/O/N/23