

Cambridge IGCSE™

PHYSICS

Paper 4 Extended Theory MARK SCHEME Maximum Mark: 80 0625/42 October/November 2023

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2023 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question ٠
- the specific skills defined in the mark scheme or in the generic level descriptors for the question .
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond ٠ the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do ٠
- marks are not deducted for errors •
- marks are not deducted for omissions .
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the • guestion as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- 3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- 4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 <u>'List rule' guidance</u>

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 <u>Calculation specific guidance</u>

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 <u>Guidance for chemical equations</u>

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Acronyms and shorthand in the mark scheme.

| acronym/shorthand | explanation |
|---------------------|--|
| A mark | Final answer mark which is awarded for fully correct final answers including the unit. |
| C mark | Compensatory mark which may be scored when the final answer (A) mark for a question has not been awarded. |
| B mark | Independent mark which does not depend on any other mark. |
| M mark | Method mark which must be scored before any subsequent final answer (A) mark can be scored. |
| Brackets () | Words not explicitly needed in an answer, however if a contradictory word/phrase/unit to that in the brackets is seen the mark is not awarded. |
| Underlining | The underlined word (or a synonym) must be present for the mark to be scored. If the word is a technical scientific term, the word must be there. |
| / or OR | Alternative answers any one of which gains the credit for that mark. |
| owtte | Or words to that effect. |
| ignore | Indicates either an incorrect or irrelevant point which may be disregarded, i.e., not treated as contradictory. |
| insufficient | an answer not worthy of credit on its own. |
| CON | An incorrect point which contradicts any correct point and means the mark cannot be scored. |
| ecf [question part] | Indicates that a candidate using an erroneous value from the stated question part must be given credit here if the erroneous value is used correctly here. |
| сао | correct answer only |

Miscellaneous

Equations and formulae. Where a C, B or M mark is available for quoting a formula or equation this can be done in any form and, in words, symbols or numbers, unless the mark scheme specifies otherwise.

0625/42

Cambridge IGCSE – Mark Scheme PUBLISHED

Use of ecf. The mark scheme notes where ecf is applicable, in the guidance section of the final answer mark. However, it should be applied for all relevant C marks as well. <u>Always annotate ecf if applied.</u> See Science specific Marking point 4 above.

Units.

- A numerically correct final answer without a unit is awarded the final answer (A) mark if the unit is shown correctly in the candidate's working.
- A numerically correct answer with a missing or incorrect unit is not awarded the final answer (A) mark. C (B or M) marks are awarded from the candidate's working.
- Accept units with incorrect use of upper-case and lower-case symbols, e.g. pA for Pa.
- Unless the mark scheme for a specific question part states otherwise, the only permitted derived units are:

| unit | permitted derived units |
|----------|-------------------------|
| W | J/s or Nm/s |
| Ра | N/m ² |
| momentum | Ns or kgm/s |
| impulse | Ns or kgm/s |
| J | Nm |

• NB J is **not** permitted as the unit for moments.

Significant Figures.

- Unless otherwise indicated in the mark scheme final answers expressed to two or more significant figures receive the final answer (A) mark if the candidate's answer rounds to the mark scheme answer.
- A final answer expressed to one significant figure is only awarded the final answer (A) mark where the final answer is exact to one sig. fig. (This applies to all answers, including answers using ecf.)
- A correct numerical answer, quoted with <u>fewer</u> significant figures than required by the mark scheme (even if in the working it has the required number of significant figures), is <u>not</u> awarded the final answer (**A**) marks. **C** (B or M) marks are awarded as appropriate.

Fractions. An answer expressed as a fraction is <u>not</u> a numerically correct final answer unless the fraction is explicitly stated in the mark scheme.

Crossed out work. When only part of an answer is crossed out the crossed-out work <u>must</u> be ignored. However, work which has been **wholly** crossed out <u>and</u> **not replaced** <u>and</u> can easily be read, should be marked as if it had not been crossed out. Look to see if it has been replaced on a blank page or another part of the same page before attempting to mark the crossed-out work.

Marking diagrams on-screen. Differences in magnification and/or individual computer screen settings can alter the appearance of diagrams. If it is necessary to check line lengths or angles use the ruler and protractor tools provided within RM Assessor 3 to ensure consistency across all examiners.

NR. (# or / key on the keyboard). Use this (instead of giving 0 marks) if the answer space for a question is completely blank or contains no readable words, figures or symbols.

| Question | Answer | Marks |
|----------|---|-------|
| 1(a)(i) | 4.1 m / s ² | A2 |
| | $(a =) (\Delta)v/(\Delta)t \text{ OR } 13(.0)/3.2$ | C1 |
| 1(a)(ii) | (acceleration is) change / increase in velocity per unit time OR rate of change of velocity | B1 |
| 1(b)(i) | straight line joining (0,0) and (3.2,13.0) | B1 |
| | horizontal line from 3.2 s to 12.0 s | B1 |
| 1(b)(ii) | 21 m | A2 |
| | area under speed-time graph (between 0 s and 3.2 s) OR average velocity × time | C1 |
| 1(c) | $(W=) F \times d$ | B1 |
| | $F = ma \ OR \ F(\Delta)t = m\Delta v$ | B1 |
| | <i>F</i> = (1350 × 13) ÷ 2 OR 8775 (N) OR (<i>F</i> =) 1350 × 6.5 | B1 |
| | $W = 8775 \times 13.0 \ (= 1.1 \times 10^5 \text{ J}) \ \text{OR} \ 114\ 075 \ \text{(J)}$ | B1 |
| 1(d) | any sensible suggestion that increases the stopping distance | B1 |
| | explanation (to match suggestion) | B1 |

| Question | Answer | Marks |
|----------|---|-------|
| 2(a)(i) | evaporation | B1 |
| 2(a)(ii) | air is drier | B1 |
| | because water vapour has condensed / turned back to liquid in the condenser | B1 |
| 2(b)(i) | gravitational (force) OR weight | B1 |
| 2(b)(ii) | (force is) perpendicular to the motion (of the clothes) | B1 |
| 2(c) | uses (solar / wind) energy which is renewable OR energy (re)sources not used to generate electricity OR greenhouse gases not produced OR does not use (fossil) fuels | B1 |

| Question | Answe | er | Marks |
|-----------|--|--|-------|
| 3(a)(i) | force × time (for which force acts) | | B1 |
| 3(a)(ii) | 0.056 Ns | | A3 |
| | v = s/t OR v = 0.67/0.18 (m/s) | | C1 |
| | (impulse =) Δ { <i>mv</i> } OR (impulse =) 0.015 × 0.67 / 0.18 OR (impulse =) 15 × 0.67 / 0.18 OR (impulse =) 5.6 × 10 ^N | | C1 |
| 3(a)(iii) | (momentum is conserved as) air released from the balloon move | s in the opposite direction to the balloon | B1 |
| | momentum of balloon (and straw) is equal in size to momentum | of air | B1 |
| 3(b) | resultant force = 0.84 N | resultant force = 0.84 N | A2 |
| | correct vector triangle or rectangle drawn | use of Pythagoras' theorem e.g. $a^2 + b^2 = c^2 OR$ (force =) $\sqrt{(0.40^2 + 0.74^2)}$ | C1 |
| | direction 62° (below the horizontal) | direction 62° (below the horizontal) | A2 |
| | correct resultant force vector with correct arrows on all vectors | use of trigonometry to find angle e.g. tan $\theta = 0.74 / 0.40$ | C1 |

| Question | Answer | Marks |
|----------|--|-------|
| 4(a)(i) | any three from: increase in the (average) KE / speed of air particles more frequent collisions of (air) particles (with bottle) more forceful collisions of (air) particles (with bottle) greater force per unit area gives greater pressure volume unchanged and so pressure increases | B3 |
| 4(a)(ii) | (pressure decreases as) air (particles) escape from the bottle / into the air | B1 |
| | until pressure (inside the bottle) is same as (air) pressure outside the bottle OR until pressure (inside the bottle) is same as atmospheric pressure | B1 |
| 4(b) | $1.5 \times 10^4 \mathrm{J}$ | A2 |
| | $c = (\Delta)E/m\Delta\theta \ (\Delta E =) \ mc\Delta\theta \ OR \ (\Delta E =) \ 0.18 \times 4200 \times 20$ | C1 |
| 4(c) | 3900 Pa | A2 |
| | $(\Delta p =) \rho g(\Delta) h \text{ OR } (\Delta p =) 1.0 \times 10^3 \times 9.8 \times 0.4 \text{ OR}$ $(\Delta p =) 1.0 \times 10^3 \times 9.8 \times 40 \text{ OR } (\Delta p =) 3.9 \times 10^{\text{N}}$ | C1 |

| Question | Answer | Marks |
|----------|---|-------|
| 5(a) | indication of position of car along a straight line from X above and to left of road at junction. | B1 |
| 5(b) | Incident ray from car to mirror AND reflected ray from mirror towards X | B1 |
| | angle of incidence equal to angle of reflection | B1 |
| 5(c) | converging lens (to left of eye) | M1 |
| | rays refracted by additional converging lens | A1 |
| | rays refracted by lens in eye to give converging rays | B1 |
| | focal point of rays / image on retina | B1 |

| Question | Answer | Marks |
|----------|--|-------|
| 6(a) | (p.d. across LED = 4.5 − 1.2 =) 3.3 V | A2 |
| | (V=) IR | C1 |
| 6(b) | LED (is a diode, which) only allows current in one direction / has a very high resistance (when direction of current is reversed.) OR (it) is reverse-biased | B1 |
| 6(c) | $E=IVt \text{ OR } (t=) E/VI \text{ OR } Q = E/V \text{ AND } Q = I \times t$ | B1 |
| | $(t =) 1050 \div [0.02 \times 4.5 \times 3600]$ OR $(t =) 3.2$ h | B1 |
| 6(d) | (charge =) 72 C | A2 |
| | $I = Q/t \text{ OR } (Q =) It \text{ OR } (Q =) 0.02(0) \times 3600$ | C1 |

| Question | Answer | Marks |
|----------|--|-------|
| 7(a) | use of electromagnetic radiation region of electromagnetic spectrum | B2 |
| | Bluetooth headset gamma rays thermal imaging radio waves | |
| | photography of people's faces infrared sterilising medical visible light | |
| | all correct 2 marks 1 or 2 correct 1 mark | |
| 7(b) | $3.0 \times 10^8 m / s$ | B1 |
| 7(c)(i) | 0.12 m | A3 |
| | (mid-point of frequency range identified as) 2.44 (GHz) | C1 |
| | $v = f\lambda$ OR ($\lambda =$) v/f OR ($\lambda =$) $3.0 \times 10^8/2.44 \times 10^9$ OR ($\lambda =$) 1.2×10^N | C1 |
| 7(c)(ii) | (radio waves / signal) lose energy / get weaker / lose (signal) strength (passing through walls) owtte | B1 |

| Question | Answer | Marks |
|----------|---|-------|
| 8(a) | (92 is) the proton number / number of protons (in the nucleus) / atomic number | B1 |
| | (235 is) the nucleon number / number of nucleons (in the nucleus) / mass number | B1 |
| 8(b)(i) | (nuclear) fission | B1 |
| 8(b)(ii) | nucleus converted to (more stable) nuclei with smaller total mass | B1 |
| | mass (difference) is released / converted as (kinetic) energy (of products) / thermal energy | B1 |
| 8(c)(i) | any three from: (thermal energy) used to heat / boil (cold) water OR make steam steam is at high pressure steam drives a turbine turbine (connected to and) drives a generator turbine moves a coil in a magnetic field | B3 |
| 8(c)(ii) | advantage - any one from: (much) small(er) amount of fuel needed (to produce same amount of energy) no greenhouse gases produced OR low carbon dioxide emissions no air pollution (when operating normally) | B1 |
| | disadvantage – any one from danger if any leak of radiation produces hazardous / dangerous / toxic waste OR difficulty of storage of used radioactive material OR nuclear waste must be stored for a long time expensive to build or decommission nuclear power plant or store nuclear waste | B1 |

| Question | Answer | Marks |
|----------|---|-------|
| 9(a) | Venus | B1 |
| 9(b) | The larger the mass (of the planet), the larger the gravitational field strength (at the surface) | B1 |
| 9(c) | orbit of planets is elliptical / is not circular owtte | B1 |
| 9(d) | correct conversion of T into seconds i.e. $365.2 \times (24 \times 60 \times 60)$ OR 3.2×10^7 | B1 |
| | $(v =) \{2\pi r\} / T$ | B1 |
| | $2\pi\times149.6\times10^6/365.2\times24\times60\times60$ | B1 |

| Question | Answer | Marks |
|----------|---|-------|
| 10(a) | (interstellar clouds of) gas and dust OR (stellar) nebula | B1 |
| 10(b) | (inward) force of gravitational attraction (is balanced by) | B1 |
| | (outward) force due to the high temperature (in the centre of the star) | B1 |
| 10(c) | hydrogen | B1 |
| 10(d) | planetary nebula | B1 |